

National Data & Surveying Services

Intersection Turning Movement Count

Location: Mace Blvd & I-80 WB on/off Ramps
City: Davis
Control: Signalized

Project ID: 19-07183-001
Date: 5/31/2019

Total

NS/EW Streets:	Mace Blvd				Mace Blvd				I-80 WB on/off Ramps				I-80 WB on/off Ramps				TOTAL
	NORTHBOUND				SOUTHBOUND				EASTBOUND				WESTBOUND				
AM	2	2	0	0	0	2	1	0	0	0	0	0	1.5	0.5	1	0	TOTAL
	NL	NT	NR	NU	SL	ST	SR	SU	EL	ET	ER	EU	WL	WT	WR	WU	
7:30 AM	90	93	0	0	0	223	24	0	0	0	0	0	68	0	146	0	644
7:45 AM	111	116	0	0	0	186	45	0	0	0	0	0	68	0	101	0	627
8:00 AM	106	159	0	0	0	181	40	0	0	0	0	0	84	0	117	0	687
8:15 AM	74	178	0	0	0	190	31	0	0	0	0	0	76	0	108	0	657
8:30 AM	85	115	0	0	0	207	39	0	0	0	0	0	60	0	110	0	616
8:45 AM	70	119	0	0	0	201	41	0	0	0	0	0	67	1	122	0	621
9:00 AM	68	107	0	0	0	191	46	0	0	0	0	0	61	1	86	0	560
9:15 AM	52	102	0	0	0	161	31	0	0	0	0	0	45	1	101	0	493
TOTAL VOLUMES :	NL	NT	NR	NU	SL	ST	SR	SU	EL	ET	ER	EU	WL	WT	WR	WU	TOTAL
	656	989	0	0	0	1540	297	0	0	0	0	0	529	3	891	0	4905
APPROACH %'s :	39.88%	60.12%	0.00%	0.00%	0.00%	83.83%	16.17%	0.00%					37.17%	0.21%	62.61%	0.00%	
PEAK HR :	07:30 AM - 08:30 AM																TOTAL
PEAK HR VOL :	381	546	0	0	0	780	140	0	0	0	0	0	296	0	472	0	2615
PEAK HR FACTOR :	0.858	0.767	0.000	0.000	0.000	0.874	0.778	0.000	0.000	0.000	0.000	0.000	0.881	0.000	0.808	0.000	0.952
	0.875				0.931								0.897				
PM	2	2	0	0	0	2	1	0	0	0	0	0	1.5	0.5	1	0	TOTAL
	NL	NT	NR	NU	SL	ST	SR	SU	EL	ET	ER	EU	WL	WT	WR	WU	
4:30 PM	49	87	0	0	0	299	31	0	0	0	0	0	83	0	156	0	705
4:45 PM	36	113	0	0	0	302	48	0	0	0	0	0	96	1	151	0	747
5:00 PM	50	101	0	0	0	289	39	0	0	0	0	0	98	0	157	0	734
5:15 PM	38	99	0	0	0	296	40	0	0	0	0	0	106	0	179	0	758
5:30 PM	57	101	0	0	0	322	45	0	0	0	0	0	114	1	196	0	836
5:45 PM	52	110	0	0	0	267	40	0	0	0	0	0	110	1	174	0	754
6:00 PM	46	99	0	0	0	274	35	0	0	0	0	0	89	1	147	0	691
6:15 PM	47	108	0	0	0	232	33	0	0	0	0	0	65	0	118	0	603
TOTAL VOLUMES :	NL	NT	NR	NU	SL	ST	SR	SU	EL	ET	ER	EU	WL	WT	WR	WU	TOTAL
	375	818	0	0	0	2281	311	0	0	0	0	0	761	4	1278	0	5828
APPROACH %'s :	31.43%	68.57%	0.00%	0.00%	0.00%	88.00%	12.00%	0.00%					37.25%	0.20%	62.56%	0.00%	
PEAK HR :	05:00 PM - 06:00 PM																TOTAL
PEAK HR VOL :	197	411	0	0	0	1174	164	0	0	0	0	0	428	2	706	0	3082
PEAK HR FACTOR :	0.864	0.934	0.000	0.000	0.000	0.911	0.911	0.000	0.000	0.000	0.000	0.000	0.939	0.500	0.901	0.000	0.922
	0.938				0.911								0.913				

National Data & Surveying Services

Intersection Turning Movement Count

Location: Mace Blvd & I-80 WB on/off Ramps
City: Davis
Control: Signalized

Project ID: 19-07183-001
Date: 5/31/2019

Cars

NS/EW Streets:	Mace Blvd				Mace Blvd				I-80 WB on/off Ramps				I-80 WB on/off Ramps				TOTAL
	NORTHBOUND				SOUTHBOUND				EASTBOUND				WESTBOUND				
AM	2	2	0	0	0	2	1	0	0	0	0	0	1.5	0.5	1	0	
	NL	NT	NR	NU	SL	ST	SR	SU	EL	ET	ER	EU	WL	WT	WR	WU	
7:30 AM	89	89	0	0	0	214	23	0	0	0	0	0	65	0	139	0	619
7:45 AM	110	115	0	0	0	184	43	0	0	0	0	0	66	0	97	0	615
8:00 AM	102	157	0	0	0	176	39	0	0	0	0	0	81	0	114	0	669
8:15 AM	70	173	0	0	0	188	30	0	0	0	0	0	75	0	105	0	641
8:30 AM	83	111	0	0	0	205	39	0	0	0	0	0	59	0	103	0	600
8:45 AM	70	116	0	0	0	193	40	0	0	0	0	0	65	1	115	0	600
9:00 AM	65	101	0	0	0	186	46	0	0	0	0	0	58	1	82	0	539
9:15 AM	47	99	0	0	0	152	30	0	0	0	0	0	42	1	96	0	467
TOTAL VOLUMES :	NL	NT	NR	NU	SL	ST	SR	SU	EL	ET	ER	EU	WL	WT	WR	WU	TOTAL
APPROACH %'s :	39.82%	60.18%	0.00%	0.00%	0.00%	83.78%	16.22%	0.00%	0	0	0	0	37.44%	0.22%	62.34%	0.00%	4750
PEAK HR :	07:30 AM - 08:30 AM																TOTAL
PEAK HR VOL :	371	534	0	0	0	762	135	0	0	0	0	0	287	0	455	0	2544
PEAK HR FACTOR :	0.84	0.772	0.000	0.000	0.000	0.890	0.785	0.000	0.000	0.000	0.000	0.000	0.886	0.000	0.818	0.000	0.951
	0.874				0.946								0.909				
PM	2	2	0	0	0	2	1	0	0	0	0	0	1.5	0.5	1	0	
	NL	NT	NR	NU	SL	ST	SR	SU	EL	ET	ER	EU	WL	WT	WR	WU	
4:30 PM	49	85	0	0	0	291	31	0	0	0	0	0	83	0	154	0	693
4:45 PM	36	111	0	0	0	294	48	0	0	0	0	0	95	1	149	0	734
5:00 PM	50	100	0	0	0	283	39	0	0	0	0	0	95	0	155	0	722
5:15 PM	37	98	0	0	0	291	40	0	0	0	0	0	106	0	174	0	746
5:30 PM	55	99	0	0	0	318	44	0	0	0	0	0	114	1	196	0	827
5:45 PM	52	107	0	0	0	258	40	0	0	0	0	0	108	1	173	0	739
6:00 PM	46	98	0	0	0	271	35	0	0	0	0	0	87	1	147	0	685
6:15 PM	47	106	0	0	0	228	33	0	0	0	0	0	63	0	118	0	595
TOTAL VOLUMES :	NL	NT	NR	NU	SL	ST	SR	SU	EL	ET	ER	EU	WL	WT	WR	WU	TOTAL
APPROACH %'s :	31.63%	68.37%	0.00%	0.00%	0.00%	87.81%	12.19%	0.00%	0	0	0	0	37.16%	0.20%	62.64%	0.00%	5741
PEAK HR :	05:00 PM - 06:00 PM																TOTAL
PEAK HR VOL :	194	404	0	0	0	1150	163	0	0	0	0	0	423	2	698	0	3034
PEAK HR FACTOR :	0.88	0.944	0.000	0.000	0.000	0.904	0.926	0.000	0.000	0.000	0.000	0.000	0.928	0.500	0.890	0.000	0.917
	0.940				0.907								0.903				

National Data & Surveying Services

Intersection Turning Movement Count

Location: Mace Blvd & I-80 WB on/off Ramps
City: Davis
Control: Signalized

Project ID: 19-07183-001
Date: 5/31/2019

HT

NS/EW Streets:	Mace Blvd				Mace Blvd				I-80 WB on/off Ramps				I-80 WB on/off Ramps				TOTAL
	NORTHBOUND				SOUTHBOUND				EASTBOUND				WESTBOUND				
AM	2	2	0	0	0	2	1	0	0	0	0	0	1.5	0.5	1	0	
	NL	NT	NR	NU	SL	ST	SR	SU	EL	ET	ER	EU	WL	WT	WR	WU	
7:30 AM	1	4	0	0	0	9	1	0	0	0	0	0	3	0	7	0	25
7:45 AM	1	1	0	0	0	2	2	0	0	0	0	0	2	0	4	0	12
8:00 AM	4	2	0	0	0	5	1	0	0	0	0	0	3	0	3	0	18
8:15 AM	4	5	0	0	0	2	1	0	0	0	0	0	1	0	3	0	16
8:30 AM	2	4	0	0	0	2	0	0	0	0	0	0	1	0	7	0	16
8:45 AM	0	3	0	0	0	8	1	0	0	0	0	0	2	0	7	0	21
9:00 AM	3	6	0	0	0	5	0	0	0	0	0	0	3	0	4	0	21
9:15 AM	5	3	0	0	0	9	1	0	0	0	0	0	3	0	5	0	26
TOTAL VOLUMES :	NL	NT	NR	NU	SL	ST	SR	SU	EL	ET	ER	EU	WL	WT	WR	WU	TOTAL
	20	28	0	0	0	42	7	0	0	0	0	0	18	0	40	0	155
APPROACH %'s :	41.67%	58.33%	0.00%	0.00%	0.00%	85.71%	14.29%	0.00%					31.03%	0.00%	68.97%	0.00%	
PEAK HR :	07:30 AM - 08:30 AM																TOTAL
PEAK HR VOL :	10	12	0	0	0	18	5	0	0	0	0	0	9	0	17	0	71
PEAK HR FACTOR :	0.625	0.600	0.000	0.000	0.000	0.500	0.625	0.000	0.000	0.000	0.000	0.000	0.750	0.000	0.607	0.000	0.710
	0.611				0.575				0.650								

NS/EW Streets:	Mace Blvd				Mace Blvd				I-80 WB on/off Ramps				I-80 WB on/off Ramps				TOTAL
	NORTHBOUND				SOUTHBOUND				EASTBOUND				WESTBOUND				
PM	2	2	0	0	0	2	1	0	0	0	0	0	1.5	0.5	1	0	
	NL	NT	NR	NU	SL	ST	SR	SU	EL	ET	ER	EU	WL	WT	WR	WU	
4:30 PM	0	2	0	0	0	8	0	0	0	0	0	0	0	0	2	0	12
4:45 PM	0	2	0	0	0	8	0	0	0	0	0	0	1	0	2	0	13
5:00 PM	0	1	0	0	0	6	0	0	0	0	0	0	3	0	2	0	12
5:15 PM	1	1	0	0	0	5	0	0	0	0	0	0	0	0	5	0	12
5:30 PM	2	2	0	0	0	4	1	0	0	0	0	0	0	0	0	0	9
5:45 PM	0	3	0	0	0	9	0	0	0	0	0	0	2	0	1	0	15
6:00 PM	0	1	0	0	0	3	0	0	0	0	0	0	2	0	0	0	6
6:15 PM	0	2	0	0	0	4	0	0	0	0	0	0	2	0	0	0	8
TOTAL VOLUMES :	NL	NT	NR	NU	SL	ST	SR	SU	EL	ET	ER	EU	WL	WT	WR	WU	TOTAL
	3	14	0	0	0	47	1	0	0	0	0	0	10	0	12	0	87
APPROACH %'s :	17.65%	82.35%	0.00%	0.00%	0.00%	97.92%	2.08%	0.00%					45.45%	0.00%	54.55%	0.00%	
PEAK HR :	05:00 PM - 06:00 PM																TOTAL
PEAK HR VOL :	3	7	0	0	0	24	1	0	0	0	0	0	5	0	8	0	48
PEAK HR FACTOR :	0.38	0.583	0.000	0.000	0.000	0.667	0.250	0.000	0.000	0.000	0.000	0.000	0.417	0.000	0.400	0.000	0.800
	0.625				0.694				0.650								

National Data & Surveying Services

Intersection Turning Movement Count

Location: Mace Blvd & I-80 WB on/off Ramps
City: Davis
Control: Signalized

Project ID: 19-07183-001
Date: 5/31/2019

Bikes


NS/EW Streets:	Mace Blvd				Mace Blvd				I-80 WB on/off Ramps				I-80 WB on/off Ramps				TOTAL
	NORTHBOUND				SOUTHBOUND				EASTBOUND				WESTBOUND				
AM	2	2	0	0	0	2	1	0	0	0	0	0	1.5	0.5	1	0	
	NL	NT	NR	NU	SL	ST	SR	SU	EL	ET	ER	EU	WL	WT	WR	WU	
7:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
7:45 AM	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:00 AM	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:30 AM	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	
9:00 AM	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	
9:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TOTAL VOLUMES :	NL	NT	NR	NU	SL	ST	SR	SU	EL	ET	ER	EU	WL	WT	WR	WU	TOTAL
APPROACH %'s :	50.00%	50.00%	0.00%	0.00%	0.00%	100.00%	0.00%	0.00%	0	0	0	0	0.00%	100.00%	0.00%	0.00%	7
PEAK HR :	07:30 AM - 08:30 AM																TOTAL
PEAK HR VOL :	1	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3
PEAK HR FACTOR :	0.250	0.500	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.375
	0.375																
PM	2	2	0	0	0	2	1	0	0	0	0	0	1.5	0.5	1	0	
	NL	NT	NR	NU	SL	ST	SR	SU	EL	ET	ER	EU	WL	WT	WR	WU	
4:30 PM	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
4:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
5:00 PM	0	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	
5:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
5:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
5:45 PM	1	1	0	0	0	0	0	0	0	0	1	0	2	0	0	0	
6:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:15 PM	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	
TOTAL VOLUMES :	NL	NT	NR	NU	SL	ST	SR	SU	EL	ET	ER	EU	WL	WT	WR	WU	TOTAL
APPROACH %'s :	33.33%	66.67%	0.00%	0.00%	0.00%	100.00%	0.00%	0.00%	0.00%	0.00%	100.00%	0.00%	66.67%	0.00%	33.33%	0.00%	11
PEAK HR :	05:00 PM - 06:00 PM																TOTAL
PEAK HR VOL :	1	3	0	0	0	0	0	0	0	0	1	0	2	0	1	0	8
PEAK HR FACTOR :	0.25	0.375	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.250	0.000	0.250	0.000	0.250	0.000	0.400
	0.500																
	0.250																
	0.375																

Mace Blvd & I-80 WB on/off Ramps

Peak Hour Turning Movement Count

ID: 19-07183-001
City: Davis

Day: Friday
Date: 05/31/2019



ALL TRAFFIC DATA

File Name : 19-07183-001
Date : 05/31/2019

Unshifted Count = All Vehicles & Uturns

START TIME	Mace Blvd Southbound					I-80 WB on/off Ramps Westbound					Mace Blvd Northbound					I-80 WB on/off Ramps Eastbound					Total	Utuns Total
	LEFT	THRU	RIGHT	UTURNS	APP.TOTAL	LEFT	THRU	RIGHT	UTURNS	APP.TOTAL	LEFT	THRU	RIGHT	UTURNS	APP.TOTAL	LEFT	THRU	RIGHT	UTURNS	APP.TOTAL		
7:30	0	223	24	0	247	68	0	146	0	214	90	93	0	0	183	0	0	0	0	0	644	0
7:45	0	186	45	0	231	68	0	101	0	169	111	116	0	0	227	0	0	0	0	0	627	0
8:00	0	181	40	0	221	84	0	117	0	201	106	159	0	0	265	0	0	0	0	0	687	0
8:15	0	190	31	0	221	76	0	108	0	184	74	178	0	0	252	0	0	0	0	0	657	0
Total	0	780	140	0	920	296	0	472	0	768	381	546	0	0	927	0	0	0	0	0	2615	0
8:30	0	207	39	0	246	60	0	110	0	170	85	115	0	0	200	0	0	0	0	0	616	0
8:45	0	201	41	0	242	67	1	122	0	190	70	119	0	0	189	0	0	0	0	0	621	0
9:00	0	191	46	0	237	61	1	86	0	148	68	107	0	0	175	0	0	0	0	0	560	0
9:15	0	161	31	0	192	45	1	101	0	147	52	102	0	0	154	0	0	0	0	0	493	0
Total	0	760	157	0	917	233	3	419	0	655	275	443	0	0	718	0	0	0	0	0	2290	0
9:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
9:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
16:30	0	299	31	0	330	83	0	156	0	239	49	87	0	0	136	0	0	0	0	0	705	0
16:45	0	302	48	0	350	96	1	151	0	248	36	113	0	0	149	0	0	0	0	0	747	0
17:00	0	289	39	0	328	98	0	157	0	255	50	101	0	0	151	0	0	0	0	0	734	0
17:15	0	296	40	0	336	106	0	179	0	285	38	99	0	0	137	0	0	0	0	0	758	0
Total	0	1186	158	0	1344	383	1	643	0	1027	173	400	0	0	573	0	0	0	0	0	2944	0
17:30	0	322	45	0	367	114	1	196	0	311	57	101	0	0	158	0	0	0	0	0	836	0
17:45	0	267	40	0	307	110	1	174	0	285	52	110	0	0	162	0	0	0	0	0	754	0
18:00	0	274	35	0	309	89	1	147	0	237	46	99	0	0	145	0	0	0	0	0	691	0
18:15	0	232	33	0	265	65	0	118	0	183	47	108	0	0	155	0	0	0	0	0	603	0
Total	0	1095	153	0	1248	378	3	635	0	1016	202	418	0	0	620	0	0	0	0	0	2884	0
23:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
23:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Grand Total	0	3821	608	0	4429	1290	7	2169	0	3466	1031	1807	0	0	2838	0	0	0	0	0	10733	0
Apprch %	0.0%	86.3%	13.7%	0.0%		37.2%	0.2%	62.6%	0.0%		36.3%	63.7%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%			
Total %	0.0%	35.6%	5.7%	0.0%	41.3%	12.0%	0.1%	20.2%	0.0%	32.3%	9.6%	16.8%	0.0%	0.0%	26.4%	0.0%	0.0%	0.0%	0.0%	0.0%	100.0%	

AM PEAK HOUR	Mace Blvd Southbound					I-80 WB on/off Ramps Westbound					Mace Blvd Northbound					I-80 WB on/off Ramps Eastbound					Total
	LEFT	THRU	RIGHT	UTURNS	APP.TOTAL	LEFT	THRU	RIGHT	UTURNS	APP.TOTAL	LEFT	THRU	RIGHT	UTURNS	APP.TOTAL	LEFT	THRU	RIGHT	UTURNS	APP.TOTAL	
Peak Hour Analysis From 07:30 to 08:30																					
Peak Hour For Entire Intersection Begins at 07:30																					
7:30	0	223	24	0	247	68	0	146	0	214	90	93	0	0	183	0	0	0	0	0	644
7:45	0	186	45	0	231	68	0	101	0	169	111	116	0	0	227	0	0	0	0	0	627
8:00	0	181	40	0	221	84	0	117	0	201	106	159	0	0	265	0	0	0	0	0	687
8:15	0	190	31	0	221	76	0	108	0	184	74	178	0	0	252	0	0	0	0	0	657
Total Volume	0	780	140	0	920	296	0	472	0	768	381	546	0	0	927	0	0	0	0	0	2615
% App Total	0.0%	84.8%	15.2%	0.0%		38.5%	0.0%	61.5%	0.0%		41.1%	58.9%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%		
PHF	.000	.874	.778	.000	.931	.881	.000	.808	.000	.897	.858	.767	.000	.000	.875	.000	.000	.000	.000	.000	.952

PM PEAK HOUR	Mace Blvd Southbound					I-80 WB on/off Ramps Westbound					Mace Blvd Northbound					I-80 WB on/off Ramps Eastbound					Total
	LEFT	THRU	RIGHT	UTURNS	APP.TOTAL	LEFT	THRU	RIGHT	UTURNS	APP.TOTAL	LEFT	THRU	RIGHT	UTURNS	APP.TOTAL	LEFT	THRU	RIGHT	UTURNS	APP.TOTAL	
Peak Hour Analysis From 17:00 to 18:00																					
Peak Hour For Entire Intersection Begins at 17:00																					
17:00	0	289	39	0	328	98	0	157	0	255	50	101	0	0	151	0	0	0	0	0	734
17:15	0	296	40	0	336	106	0	179	0	285	38	99	0	0	137	0	0	0	0	0	758
17:30	0	322	45	0	367	114	1	196	0	311	57	101	0	0	158	0	0	0	0	0	836
17:45	0	267	40	0	307	110	1	174	0	285	52	110	0	0	162	0	0	0	0	0	754
Total Volume	0	1174	164	0	1338	428	2	706	0	1136	197	411	0	0	608	0	0	0	0	0	3082
% App Total	0.0%	87.7%	12.3%	0.0%		37.7%	0.2%	62.1%	0.0%		32.4%	67.6%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%		
PHF	.000	.911	.911	.000	.911	.939	.500	.901	.000	.913	.864	.934	.000	.000	.938	.000	.000	.000	.000	.000	.922

ALL TRAFFIC DATA

File Name : 19-07183-001
Date : 05/31/2019

Bank 1 Count = Bikes & Peds

START TIME	Mace Blvd Southbound					I-80 WB on/off Ramps Westbound					Mace Blvd Northbound					I-80 WB on/off Ramps Eastbound					Total	Peds Total	
	LEFT	THRU	RIGHT	PEDS	APP.TOTAL	LEFT	THRU	RIGHT	PEDS	APP.TOTAL	LEFT	THRU	RIGHT	PEDS	APP.TOTAL	LEFT	THRU	RIGHT	PEDS	APP.TOTAL			
7:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7:45	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	1	0
8:00	0	0	0	0	0	0	0	0	0	0	1	1	0	0	2	0	0	0	0	0	0	2	0
8:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total	0	0	0	0	0	0	0	0	0	0	1	2	0	0	3	0	0	0	0	0	0	3	0
8:30	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	1	0
8:45	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0
9:00	0	2	0	0	2	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	2	1
9:15	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Total	0	2	0	1	2	0	1	0	1	1	1	0	0	1	0	0	0	0	0	0	4	2	
9:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
9:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
16:30	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	1	0
16:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
17:00	0	0	0	0	0	0	0	1	0	1	0	2	0	0	2	0	0	0	0	0	0	3	0
17:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total	0	0	0	0	0	0	0	1	0	1	0	3	0	0	3	0	0	0	0	0	4	0	
17:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
17:45	0	0	0	0	0	2	0	0	0	2	1	1	0	0	2	0	0	1	0	1	0	5	0
18:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
18:15	0	1	0	0	1	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	2	0
Total	0	1	0	0	1	2	0	0	0	2	2	1	0	0	3	0	0	1	0	1	7	0	
23:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
23:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Grand Total	0	3	0	1	3	2	1	1	1	4	4	6	0	0	10	0	0	1	0	1	18	2	
Apprch %	0.0%	100.0%	0.0%			50.0%	25.0%	25.0%			40.0%	60.0%	0.0%			0.0%	0.0%	100.0%					
Total %	0.0%	16.7%	0.0%		16.7%	11.1%	5.6%	5.6%		22.2%	22.2%	33.3%	0.0%		55.6%	0.0%	0.0%	5.6%		5.6%	100.0%		

AM PEAK HOUR	Mace Blvd Southbound					I-80 WB on/off Ramps Westbound					Mace Blvd Northbound					I-80 WB on/off Ramps Eastbound					Total	
	LEFT	THRU	RIGHT	PEDS	APP.TOTAL	LEFT	THRU	RIGHT	PEDS	APP.TOTAL	LEFT	THRU	RIGHT	PEDS	APP.TOTAL	LEFT	THRU	RIGHT	PEDS	APP.TOTAL		
Peak Hour Analysis From 07:30 to 08:30																						
Peak Hour For Entire Intersection Begins at 07:30																						
7:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7:45	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	1
8:00	0	0	0	0	0	0	0	0	0	0	1	1	0	0	2	0	0	0	0	0	0	2
8:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Volume	0	0	0	0	0	0	0	0	0	0	1	2	0	0	3	0	0	0	0	0	0	3
% App Total	0.0%	0.0%	0.0%			0.0%	0.0%	0.0%			33.3%	66.7%	0.0%			0.0%	0.0%	0.0%				
PHF	.000	.000	.000		.000	.000	.000	.000		.000	.250	.500	.000		.375	.000	.000	.000		.000	.375	

PM PEAK HOUR	Mace Blvd Southbound					I-80 WB on/off Ramps Westbound					Mace Blvd Northbound					I-80 WB on/off Ramps Eastbound					Total	
	LEFT	THRU	RIGHT	PEDS	APP.TOTAL	LEFT	THRU	RIGHT	PEDS	APP.TOTAL	LEFT	THRU	RIGHT	PEDS	APP.TOTAL	LEFT	THRU	RIGHT	PEDS	APP.TOTAL		
Peak Hour Analysis From 17:00 to 18:00																						
Peak Hour For Entire Intersection Begins at 17:00																						
17:00	0	0	0	0	0	0	0	1	0	1	0	2	0	0	2	0	0	0	0	0	0	3
17:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
17:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
17:45	0	0	0	0	0	2	0	0	0	2	1	1	0	0	2	0	0	1	0	1	0	5
Total Volume	0	0	0	0	0	2	0	1	0	3	1	3	0	0	4	0	0	1	0	1	0	8
% App Total	0.0%	0.0%	0.0%			66.7%	0.0%	33.3%			25.0%	75.0%	0.0%			0.0%	0.0%	100.0%				
PHF	.000	.000	.000		.000	.250	.000	.250		.375	.250	.375	.000		.500	.000	.000	.250		.250	.400	

