

National Data & Surveying Services

Intersection Turning Movement Count

Location: Mace Blvd & I-80 WB on/off Ramps
City: Davis
Control: Signalized

Project ID: 19-07183-001
Date: 5/30/2019

Total

NS/EW Streets:	Mace Blvd				Mace Blvd				I-80 WB on/off Ramps				I-80 WB on/off Ramps				TOTAL																
	NORTHBOUND				SOUTHBOUND				EASTBOUND				WESTBOUND																				
AM	2	2	0	0	0	2	1	0	0	0	0	0	1.5	0.5	1	0	NL	NT	NR	NU	SL	ST	SR	SU	EL	ET	ER	EU	WL	WT	WR	WU	TOTAL
7:30 AM	79	111	0	0	0	251	45	0	0	0	0	0	56	0	150	0	692																
7:45 AM	123	118	0	0	0	237	52	0	0	0	0	0	95	1	141	0	767																
8:00 AM	95	172	0	0	0	250	57	0	0	0	0	0	81	0	128	0	783																
8:15 AM	88	179	0	0	0	336	43	0	0	0	0	0	70	0	120	0	836																
8:30 AM	107	143	0	0	0	287	64	0	0	0	0	0	58	2	113	0	774																
8:45 AM	75	145	0	0	0	193	39	0	0	0	0	0	68	0	101	0	621																
9:00 AM	68	95	0	0	0	182	39	0	0	0	0	0	52	0	98	0	534																
9:15 AM	57	82	0	0	0	186	33	0	0	0	0	0	53	0	112	0	523																
TOTAL VOLUMES :	692	1045	0	0	0	1922	372	0	0	0	0	0	533	3	963	0	5530																
APPROACH %'s :	39.84%	60.16%	0.00%	0.00%	0.00%	83.78%	16.22%	0.00%					35.56%	0.20%	64.24%	0.00%																	
PEAK HR :	07:45 AM - 08:45 AM																TOTAL																
PEAK HR VOL :	413	612	0	0	0	1110	216	0	0	0	0	0	304	3	502	0	3160																
PEAK HR FACTOR :	0.839	0.855	0.000	0.000	0.000	0.826	0.844	0.000	0.000	0.000	0.000	0.000	0.800	0.375	0.890	0.000	0.945																
	0.960				0.875								0.853																				

NS/EW Streets:	Mace Blvd				Mace Blvd				I-80 WB on/off Ramps				I-80 WB on/off Ramps				TOTAL																
	NORTHBOUND				SOUTHBOUND				EASTBOUND				WESTBOUND																				
PM	2	2	0	0	0	2	1	0	0	0	0	0	1.5	0.5	1	0	NL	NT	NR	NU	SL	ST	SR	SU	EL	ET	ER	EU	WL	WT	WR	WU	TOTAL
4:30 PM	72	119	0	0	0	306	37	0	0	0	0	0	87	0	157	0	778																
4:45 PM	42	102	0	0	0	337	48	0	0	0	0	0	101	1	191	0	822																
5:00 PM	63	112	0	0	0	307	60	0	0	0	0	0	95	0	180	0	817																
5:15 PM	46	116	0	0	0	301	57	0	0	0	0	0	124	0	186	0	830																
5:30 PM	70	117	0	0	0	295	38	0	0	0	0	0	120	0	226	0	866																
5:45 PM	50	136	0	0	0	314	44	0	0	0	0	0	131	0	213	0	888																
6:00 PM	55	97	0	0	0	265	44	0	0	0	0	0	99	0	141	0	701																
6:15 PM	40	128	0	0	0	193	40	0	0	0	0	0	82	0	167	0	650																
TOTAL VOLUMES :	438	927	0	0	0	2318	368	0	0	0	0	0	839	1	1461	0	6352																
APPROACH %'s :	32.09%	67.91%	0.00%	0.00%	0.00%	86.30%	13.70%	0.00%					36.46%	0.04%	63.49%	0.00%																	
PEAK HR :	05:00 PM - 06:00 PM																TOTAL																
PEAK HR VOL :	229	481	0	0	0	1217	199	0	0	0	0	0	470	0	805	0	3401																
PEAK HR FACTOR :	0.818	0.884	0.000	0.000	0.000	0.969	0.829	0.000	0.000	0.000	0.000	0.000	0.897	0.000	0.890	0.000	0.957																
	0.949				0.965								0.921																				

National Data & Surveying Services

Intersection Turning Movement Count

Location: Mace Blvd & I-80 WB on/off Ramps
City: Davis
Control: Signalized

Project ID: 19-07183-001
Date: 5/30/2019

Cars

NS/EW Streets:	Mace Blvd				Mace Blvd				I-80 WB on/off Ramps				I-80 WB on/off Ramps				TOTAL
	NORTHBOUND				SOUTHBOUND				EASTBOUND				WESTBOUND				
AM	2	2	0	0	0	2	1	0	0	0	0	0	1.5	0.5	1	0	TOTAL
	NL	NT	NR	NU	SL	ST	SR	SU	EL	ET	ER	EU	WL	WT	WR	WU	
7:30 AM	78	109	0	0	0	247	45	0	0	0	0	0	54	0	142	0	675
7:45 AM	119	114	0	0	0	232	51	0	0	0	0	0	93	0	138	0	747
8:00 AM	94	164	0	0	0	246	55	0	0	0	0	0	77	0	123	0	759
8:15 AM	87	174	0	0	0	330	43	0	0	0	0	0	67	0	116	0	817
8:30 AM	106	138	0	0	0	282	62	0	0	0	0	0	55	0	112	0	755
8:45 AM	74	136	0	0	0	183	38	0	0	0	0	0	66	0	98	0	595
9:00 AM	64	91	0	0	0	177	37	0	0	0	0	0	46	0	95	0	510
9:15 AM	56	80	0	0	0	179	32	0	0	0	0	0	49	0	106	0	502
TOTAL VOLUMES :	NL	NT	NR	NU	SL	ST	SR	SU	EL	ET	ER	EU	WL	WT	WR	WU	TOTAL
APPROACH %'s :	40.26%	59.74%	0.00%	0.00%	0.00%	83.79%	16.21%	0.00%	0	0	0	0	35.28%	0.00%	64.72%	0.00%	5360
PEAK HR :	07:45 AM - 08:45 AM																TOTAL
PEAK HR VOL :	406	590	0	0	0	1090	211	0	0	0	0	0	292	0	489	0	3078
PEAK HR FACTOR :	0.85	0.848	0.000	0.000	0.000	0.826	0.851	0.000	0.000	0.000	0.000	0.000	0.785	0.000	0.886	0.000	0.942
	0.954				0.872								0.845				
PM	2	2	0	0	0	2	1	0	0	0	0	0	1.5	0.5	1	0	TOTAL
	NL	NT	NR	NU	SL	ST	SR	SU	EL	ET	ER	EU	WL	WT	WR	WU	
4:30 PM	70	115	0	0	0	298	37	0	0	0	0	0	87	0	155	0	762
4:45 PM	38	101	0	0	0	332	48	0	0	0	0	0	99	1	190	0	809
5:00 PM	62	108	0	0	0	305	60	0	0	0	0	0	94	0	178	0	807
5:15 PM	46	113	0	0	0	297	57	0	0	0	0	0	123	0	185	0	821
5:30 PM	69	114	0	0	0	290	38	0	0	0	0	0	120	0	225	0	856
5:45 PM	50	135	0	0	0	310	44	0	0	0	0	0	130	0	209	0	878
6:00 PM	54	95	0	0	0	260	44	0	0	0	0	0	98	0	141	0	692
6:15 PM	40	126	0	0	0	191	40	0	0	0	0	0	80	0	167	0	644
TOTAL VOLUMES :	NL	NT	NR	NU	SL	ST	SR	SU	EL	ET	ER	EU	WL	WT	WR	WU	TOTAL
APPROACH %'s :	32.11%	67.89%	0.00%	0.00%	0.00%	86.12%	13.88%	0.00%	0	0	0	0	36.42%	0.04%	63.54%	0.00%	6269
PEAK HR :	05:00 PM - 06:00 PM																TOTAL
PEAK HR VOL :	227	470	0	0	0	1202	199	0	0	0	0	0	467	0	797	0	3362
PEAK HR FACTOR :	0.82	0.870	0.000	0.000	0.000	0.969	0.829	0.000	0.000	0.000	0.000	0.000	0.898	0.000	0.886	0.000	0.957
	0.942				0.960								0.916				

National Data & Surveying Services

Intersection Turning Movement Count

Location: Mace Blvd & I-80 WB on/off Ramps
City: Davis
Control: Signalized

Project ID: 19-07183-001
Date: 5/30/2019

HT

NS/EW Streets:	Mace Blvd				Mace Blvd				I-80 WB on/off Ramps				I-80 WB on/off Ramps				TOTAL
	NORTHBOUND				SOUTHBOUND				EASTBOUND				WESTBOUND				
AM	2	2	0	0	0	2	1	0	0	0	0	0	1.5	0.5	1	0	
	NL	NT	NR	NU	SL	ST	SR	SU	EL	ET	ER	EU	WL	WT	WR	WU	
7:30 AM	1	2	0	0	0	4	0	0	0	0	0	0	2	0	8	0	17
7:45 AM	4	4	0	0	0	5	1	0	0	0	0	0	2	1	3	0	20
8:00 AM	1	8	0	0	0	4	2	0	0	0	0	0	4	0	5	0	24
8:15 AM	1	5	0	0	0	6	0	0	0	0	0	0	3	0	4	0	19
8:30 AM	1	5	0	0	0	5	2	0	0	0	0	0	3	2	1	0	19
8:45 AM	1	9	0	0	0	10	1	0	0	0	0	0	2	0	3	0	26
9:00 AM	4	4	0	0	0	5	2	0	0	0	0	0	6	0	3	0	24
9:15 AM	1	2	0	0	0	7	1	0	0	0	0	0	4	0	6	0	21
TOTAL VOLUMES :	NL	NT	NR	NU	SL	ST	SR	SU	EL	ET	ER	EU	WL	WT	WR	WU	TOTAL
APPROACH %'s :	14	39	0	0	0	46	9	0	0	0	0	0	26	3	33	0	170
	26.42%	73.58%	0.00%	0.00%	0.00%	83.64%	16.36%	0.00%					41.94%	4.84%	53.23%	0.00%	
PEAK HR :	07:45 AM - 08:45 AM																TOTAL
PEAK HR VOL :	7	22	0	0	0	20	5	0	0	0	0	0	12	3	13	0	82
PEAK HR FACTOR :	0.438	0.688	0.000	0.000	0.000	0.833	0.625	0.000	0.000	0.000	0.000	0.000	0.750	0.375	0.650	0.000	0.854
	0.806				0.893								0.778				

PM	NORTHBOUND				SOUTHBOUND				EASTBOUND				WESTBOUND				TOTAL
	2	2	0	0	0	2	1	0	0	0	0	0	1.5	0.5	1	0	
	NL	NT	NR	NU	SL	ST	SR	SU	EL	ET	ER	EU	WL	WT	WR	WU	
4:30 PM	2	4	0	0	0	8	0	0	0	0	0	0	0	0	2	0	16
4:45 PM	4	1	0	0	0	5	0	0	0	0	0	0	2	0	1	0	13
5:00 PM	1	4	0	0	0	2	0	0	0	0	0	0	1	0	2	0	10
5:15 PM	0	3	0	0	0	4	0	0	0	0	0	0	1	0	1	0	9
5:30 PM	1	3	0	0	0	5	0	0	0	0	0	0	0	0	1	0	10
5:45 PM	0	1	0	0	0	4	0	0	0	0	0	0	1	0	4	0	10
6:00 PM	1	2	0	0	0	5	0	0	0	0	0	0	1	0	0	0	9
6:15 PM	0	2	0	0	0	2	0	0	0	0	0	0	2	0	0	0	6
TOTAL VOLUMES :	NL	NT	NR	NU	SL	ST	SR	SU	EL	ET	ER	EU	WL	WT	WR	WU	TOTAL
APPROACH %'s :	9	20	0	0	0	35	0	0	0	0	0	0	8	0	11	0	83
	31.03%	68.97%	0.00%	0.00%	0.00%	100.00%	0.00%	0.00%					42.11%	0.00%	57.89%	0.00%	
PEAK HR :	05:00 PM - 06:00 PM																TOTAL
PEAK HR VOL :	2	11	0	0	0	15	0	0	0	0	0	0	3	0	8	0	39
PEAK HR FACTOR :	0.50	0.688	0.000	0.000	0.000	0.750	0.000	0.000	0.000	0.000	0.000	0.000	0.750	0.000	0.500	0.000	0.975
	0.650				0.750								0.550				

National Data & Surveying Services

Intersection Turning Movement Count

Location: Mace Blvd & I-80 WB on/off Ramps
City: Davis
Control: Signalized

Project ID: 19-07183-001
Date: 5/30/2019

Bikes

NS/EW Streets:	Mace Blvd				Mace Blvd				I-80 WB on/off Ramps				I-80 WB on/off Ramps				TOTAL
	NORTHBOUND				SOUTHBOUND				EASTBOUND				WESTBOUND				
AM	2	2	0	0	0	2	1	0	0	0	0	0	1.5	0.5	1	0	
	NL	NT	NR	NU	SL	ST	SR	SU	EL	ET	ER	EU	WL	WT	WR	WU	
7:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7:45 AM	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
8:00 AM	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1
8:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8:30 AM	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1
8:45 AM	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
9:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
9:15 AM	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	2
TOTAL VOLUMES :	NL	NT	NR	NU	SL	ST	SR	SU	EL	ET	ER	EU	WL	WT	WR	WU	TOTAL
APPROACH %'s :	40.00%	60.00%	0.00%	0.00%	0.00%	100.00%	0.00%	0.00%	0	0	0	0	0	0	0	0	8
PEAK HR :	07:45 AM - 08:45 AM																TOTAL
PEAK HR VOL :	0	2	0	0	0	2	0	0	0	0	0	0	0	0	0	0	4
PEAK HR FACTOR :	0.000	0.250	0.000	0.000	0.000	0.500	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.500
	0.250				0.500								0.500				

NS/EW Streets:	Mace Blvd				Mace Blvd				I-80 WB on/off Ramps				I-80 WB on/off Ramps				TOTAL
	NORTHBOUND				SOUTHBOUND				EASTBOUND				WESTBOUND				
PM	2	2	0	0	0	2	1	0	0	0	0	0	1.5	0.5	1	0	
	NL	NT	NR	NU	SL	ST	SR	SU	EL	ET	ER	EU	WL	WT	WR	WU	
4:30 PM	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	2
4:45 PM	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
5:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
5:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
5:30 PM	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
5:45 PM	0	0	0	0	0	1	0	0	0	0	0	0	2	0	0	0	3
6:00 PM	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	2
6:15 PM	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	2
TOTAL VOLUMES :	NL	NT	NR	NU	SL	ST	SR	SU	EL	ET	ER	EU	WL	WT	WR	WU	TOTAL
APPROACH %'s :	16.67%	83.33%	0.00%	0.00%	0.00%	100.00%	0.00%	0.00%	0	0	0	0	100.00%	0.00%	0.00%	0.00%	14
PEAK HR :	05:00 PM - 06:00 PM																TOTAL
PEAK HR VOL :	0	1	0	0	0	1	0	0	0	0	0	0	4	0	0	0	6
PEAK HR FACTOR :	0.00	0.250	0.000	0.000	0.000	0.250	0.000	0.000	0.000	0.000	0.000	0.000	0.500	0.000	0.000	0.000	0.500
	0.250				0.250								0.500				

National Data & Surveying Services

Intersection Turning Movement Count

Location: Mace Blvd & I-80 WB on/off Ramps
City: Davis

Project ID: 19-07183-001
Date: 5/30/2019

Pedestrians (Crosswalks)

NS/EW Streets:	Mace Blvd		Mace Blvd		I-80 WB on/off Ramps		I-80 WB on/off Ramps		NORTH LEG CUT OUT		NORTH LEG 2 CUT OUT		SOUTH LEG CUT OUT		SOUTH LEG 2 CUT OUT		TOTAL
AM	NORTH LEG		SOUTH LEG		EAST LEG		WEST LEG		EB	WB	EB	WB	EB	WB	EB	WB	
7:30 AM	0	0	0	0	0	0	0	0	0	0							0
7:45 AM	0	0	0	0	1	0	0	0	1	0							2
8:00 AM	0	0	0	0	0	0	0	0	0	0							0
8:15 AM	0	0	0	0	0	0	0	0	0	0							0
8:30 AM	0	0	0	0	0	0	0	0	0	0							0
8:45 AM	0	0	0	0	0	0	0	0	0	0							0
9:00 AM	0	0	0	0	1	0	0	0	0	0							1
9:15 AM	0	0	0	0	0	1	0	0	0	1							2
TOTAL VOLUMES :	EB	WB	EB	WB	NB	SB	NB	SB	EB	WB	EB	WB	EB	WB	EB	WB	TOTAL
APPROACH %'s :	0	0	0	0	2	1	0	0	1	1	0	0	0	0	0	0	5
APPROACH %'s :	66.67% 33.33%																
PEAK HR :	07:45 AM - 08:45 AM																
PEAK HR VOL :	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	2
PEAK HR FACTOR :	0.250 0.250																









PM	NORTH LEG		SOUTH LEG		EAST LEG		WEST LEG		EB	WB	EB	WB	EB	WB	EB	WB	TOTAL
4:30 PM	0	0	0	0	0	0	0	0	0	0							0
4:45 PM	0	0	0	0	0	0	0	0	0	0							0
5:00 PM	0	0	0	0	0	0	0	0	0	0							0
5:15 PM	0	0	0	0	0	0	0	0	0	0							0
5:30 PM	0	0	0	0	0	0	0	0	0	0							0
5:45 PM	0	0	0	0	0	0	0	0	0	0							0
6:00 PM	0	0	0	0	0	0	0	0	0	0							0
6:15 PM	0	0	0	0	0	0	0	0	0	0							0
TOTAL VOLUMES :	EB	WB	EB	WB	NB	SB	NB	SB	EB	WB	EB	WB	EB	WB	EB	WB	TOTAL
APPROACH %'s :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PEAK HR :	05:00 PM - 06:00 PM																
PEAK HR VOL :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PEAK HR FACTOR :	0																

Mace Blvd & I-80 WB on/off Ramps

Peak Hour Turning Movement Count

ID: 19-07183-001
City: Davis

Day: Thursday
Date: 05/30/2019



ALL TRAFFIC DATA

File Name : 19-07183-001
Date : 05/30/2019

Unshifted Count = All Vehicles & Uturns

START TIME	Mace Blvd Southbound					I-80 WB on/off Ramps Westbound					Mace Blvd Northbound					I-80 WB on/off Ramps Eastbound					Total	Utorns Total
	LEFT	THRU	RIGHT	UTURNS	APP.TOTAL	LEFT	THRU	RIGHT	UTURNS	APP.TOTAL	LEFT	THRU	RIGHT	UTURNS	APP.TOTAL	LEFT	THRU	RIGHT	UTURNS	APP.TOTAL		
7:30	0	251	45	0	296	56	0	150	0	206	79	111	0	0	190	0	0	0	0	0	692	0
7:45	0	237	52	0	289	95	1	141	0	237	123	118	0	0	241	0	0	0	0	0	767	0
8:00	0	250	57	0	307	81	0	128	0	209	95	172	0	0	267	0	0	0	0	0	783	0
8:15	0	336	43	0	379	70	0	120	0	190	88	179	0	0	267	0	0	0	0	0	836	0
Total	0	1074	197	0	1271	302	1	539	0	842	385	580	0	0	965	0	0	0	0	0	3078	0
8:30	0	287	64	0	351	58	2	113	0	173	107	143	0	0	250	0	0	0	0	0	774	0
8:45	0	193	39	0	232	68	0	101	0	169	75	145	0	0	220	0	0	0	0	0	621	0
9:00	0	182	39	0	221	52	0	98	0	150	68	95	0	0	163	0	0	0	0	0	534	0
9:15	0	186	33	0	219	53	0	112	0	165	57	82	0	0	139	0	0	0	0	0	523	0
Total	0	848	175	0	1023	231	2	424	0	657	307	465	0	0	772	0	0	0	0	0	2452	0
9:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
9:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
16:30	0	306	37	0	343	87	0	157	0	244	72	119	0	0	191	0	0	0	0	0	778	0
16:45	0	337	48	0	385	101	1	191	0	293	42	102	0	0	144	0	0	0	0	0	822	0
17:00	0	307	60	0	367	95	0	180	0	275	63	112	0	0	175	0	0	0	0	0	817	0
17:15	0	301	57	0	358	124	0	186	0	310	46	116	0	0	162	0	0	0	0	0	830	0
Total	0	1251	202	0	1453	407	1	714	0	1122	223	449	0	0	672	0	0	0	0	0	3247	0
17:30	0	295	38	0	333	120	0	226	0	346	70	117	0	0	187	0	0	0	0	0	866	0
17:45	0	314	44	0	358	131	0	213	0	344	50	136	0	0	186	0	0	0	0	0	888	0
18:00	0	265	44	0	309	99	0	141	0	240	55	97	0	0	152	0	0	0	0	0	701	0
18:15	0	193	40	0	233	82	0	167	0	249	40	128	0	0	168	0	0	0	0	0	650	0
Total	0	1067	166	0	1233	432	0	747	0	1179	215	478	0	0	693	0	0	0	0	0	3105	0
23:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
23:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Grand Total	0	4240	740	0	4980	1372	4	2424	0	3800	1130	1972	0	0	3102	0	0	0	0	0	11882	0
Apprch %	0.0%	85.1%	14.9%	0.0%		36.1%	0.1%	63.8%	0.0%		36.4%	63.6%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%		
Total %	0.0%	35.7%	6.2%	0.0%	41.9%	11.5%	0.0%	20.4%	0.0%	32.0%	9.5%	16.6%	0.0%	0.0%	26.1%	0.0%	0.0%	0.0%	0.0%	0.0%	100.0%	

AM PEAK HOUR	Mace Blvd Southbound					I-80 WB on/off Ramps Westbound					Mace Blvd Northbound					I-80 WB on/off Ramps Eastbound					Total
	LEFT	THRU	RIGHT	UTURNS	APP.TOTAL	LEFT	THRU	RIGHT	UTURNS	APP.TOTAL	LEFT	THRU	RIGHT	UTURNS	APP.TOTAL	LEFT	THRU	RIGHT	UTURNS	APP.TOTAL	
Peak Hour Analysis From 07:45 to 08:45																					
Peak Hour For Entire Intersection Begins at 07:45																					
7:45	0	237	52	0	289	95	1	141	0	237	123	118	0	0	241	0	0	0	0	0	767
8:00	0	250	57	0	307	81	0	128	0	209	95	172	0	0	267	0	0	0	0	0	783
8:15	0	336	43	0	379	70	0	120	0	190	88	179	0	0	267	0	0	0	0	0	836
8:30	0	287	64	0	351	58	2	113	0	173	107	143	0	0	250	0	0	0	0	0	774
Total Volume	0	1110	216	0	1326	304	3	502	0	809	413	612	0	0	1025	0	0	0	0	0	3160
% App Total	0.0%	83.7%	16.3%	0.0%		37.6%	0.4%	62.1%	0.0%		40.3%	59.7%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	
PHF	.000	.826	.844	.000	.875	.800	.375	.890	.000	.853	.839	.855	.000	.000	.960	.000	.000	.000	.000	.000	.945

PM PEAK HOUR	Mace Blvd Southbound					I-80 WB on/off Ramps Westbound					Mace Blvd Northbound					I-80 WB on/off Ramps Eastbound					Total
	LEFT	THRU	RIGHT	UTURNS	APP.TOTAL	LEFT	THRU	RIGHT	UTURNS	APP.TOTAL	LEFT	THRU	RIGHT	UTURNS	APP.TOTAL	LEFT	THRU	RIGHT	UTURNS	APP.TOTAL	
Peak Hour Analysis From 17:00 to 18:00																					
Peak Hour For Entire Intersection Begins at 17:00																					
17:00	0	307	60	0	367	95	0	180	0	275	63	112	0	0	175	0	0	0	0	0	817
17:15	0	301	57	0	358	124	0	186	0	310	46	116	0	0	162	0	0	0	0	0	830
17:30	0	295	38	0	333	120	0	226	0	346	70	117	0	0	187	0	0	0	0	0	866
17:45	0	314	44	0	358	131	0	213	0	344	50	136	0	0	186	0	0	0	0	0	888
Total Volume	0	1217	199	0	1416	470	0	805	0	1275	229	481	0	0	710	0	0	0	0	0	3401
% App Total	0.0%	85.9%	14.1%	0.0%		36.9%	0.0%	63.1%	0.0%		32.3%	67.7%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	
PHF	.000	.969	.829	.000	.965	.897	.000	.890	.000	.921	.818	.884	.000	.000	.949	.000	.000	.000	.000	.000	.957

ALL TRAFFIC DATA

File Name : 19-07183-001
Date : 05/30/2019

Bank 1 Count = Bikes & Peds

START TIME	Mace Blvd Southbound					I-80 WB on/off Ramps Westbound					Mace Blvd Northbound					I-80 WB on/off Ramps Eastbound					Total	Peds Total	
	LEFT	THRU	RIGHT	PEDS	APP.TOTAL	LEFT	THRU	RIGHT	PEDS	APP.TOTAL	LEFT	THRU	RIGHT	PEDS	APP.TOTAL	LEFT	THRU	RIGHT	PEDS	APP.TOTAL			
7:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7:45	0	0	0	0	0	0	0	0	0	0	0	2	0	0	2	0	0	0	1	0	2	1	0
8:00	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
8:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total	0	1	0	0	1	0	0	0	0	0	0	2	0	0	2	0	0	0	1	0	3	1	0
8:30	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
8:45	0	0	0	0	0	0	0	0	0	0	1	1	0	0	2	0	0	0	0	0	2	0	0
9:00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0
9:15	0	1	0	0	1	0	0	0	0	0	1	0	0	0	1	0	0	0	1	0	2	1	0
Total	0	2	0	0	2	0	0	0	0	0	2	1	0	0	3	0	0	0	2	0	5	2	0
9:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
9:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
16:30	0	1	0	0	1	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	2	0	0
16:45	0	0	0	0	0	0	0	0	0	0	0	2	0	0	2	0	0	0	0	0	2	0	0
17:00	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0	0
17:15	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0	0
Total	0	1	0	0	1	2	0	0	0	2	0	3	0	0	3	0	0	0	0	0	6	0	0
17:30	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	1	0	0
17:45	0	1	0	0	1	2	0	0	0	2	0	0	0	0	0	0	0	0	0	0	3	0	0
18:00	0	0	0	0	0	1	0	0	0	1	1	0	0	0	1	0	0	0	0	0	2	0	0
18:15	0	1	0	0	1	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	2	0	0
Total	0	2	0	0	2	3	0	0	0	3	1	2	0	0	3	0	0	0	0	8	0	0	
23:30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
23:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Grand Total	0	6	0	0	6	5	0	0	0	5	3	8	0	0	11	0	0	0	3	0	22	3	0
Apprch %	0.0%	100.0%	0.0%			100.0%	0.0%	0.0%			27.3%	72.7%	0.0%			0.0%	0.0%	0.0%					
Total %	0.0%	27.3%	0.0%		27.3%	22.7%	0.0%	0.0%		22.7%	13.6%	36.4%	0.0%		50.0%	0.0%	0.0%	0.0%		0.0%	100.0%		

AM PEAK HOUR	Mace Blvd Southbound					I-80 WB on/off Ramps Westbound					Mace Blvd Northbound					I-80 WB on/off Ramps Eastbound					Total	
	LEFT	THRU	RIGHT	PEDS	APP.TOTAL	LEFT	THRU	RIGHT	PEDS	APP.TOTAL	LEFT	THRU	RIGHT	PEDS	APP.TOTAL	LEFT	THRU	RIGHT	PEDS	APP.TOTAL		
Peak Hour Analysis From 07:45 to 08:45																						
Peak Hour For Entire Intersection Begins at 07:45																						
7:45	0	0	0	0	0	0	0	0	0	0	0	2	0	0	2	0	0	0	1	0	2	0
8:00	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
8:15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8:30	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
Total Volume	0	2	0	0	2	0	0	0	0	0	0	2	0	0	2	0	0	0	1	0	4	0
% App Total	0.0%	100.0%	0.0%			0.0%	0.0%	0.0%			0.0%	100.0%	0.0%			0.0%	0.0%	0.0%				
PHF	.000	.500	.000		.500	.000	.000	.000		.000	.000	.250	.000		.250	.000	.000	.000		.000	.500	.000

PM PEAK HOUR	Mace Blvd Southbound					I-80 WB on/off Ramps Westbound					Mace Blvd Northbound					I-80 WB on/off Ramps Eastbound					Total	
	LEFT	THRU	RIGHT	PEDS	APP.TOTAL	LEFT	THRU	RIGHT	PEDS	APP.TOTAL	LEFT	THRU	RIGHT	PEDS	APP.TOTAL	LEFT	THRU	RIGHT	PEDS	APP.TOTAL		
Peak Hour Analysis From 17:00 to 18:00																						
Peak Hour For Entire Intersection Begins at 17:00																						
17:00	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0
17:15	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
17:30	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	1
17:45	0	1	0	0	1	2	0	0	0	2	0	0	0	0	0	0	0	0	0	0	3	0
Total Volume	0	1	0	0	1	4	0	0	0	4	0	1	0	0	1	0	0	0	0	0	6	0
% App Total	0.0%	100.0%	0.0%			100.0%	0.0%	0.0%			0.0%	100.0%	0.0%			0.0%	0.0%	0.0%				
PHF	.000	.250	.000		.250	.500	.000	.000		.500	.000	.250	.000		.250	.000	.000	.000		.000	.500	.000

